




## GLOSSARY OF STANDARD SYMBOLS

<i>Symbol</i>	<i>Title</i>	<i>Standard</i>	<i>Reference number</i>
	CE marking, May include Notified Body. Signifies European technical conformity.	MDD 93/42/EEC MDR 2017/745 Regulation (EC) 765/2008	Annex XII Article 20 Annex II
	Manufacturer. Indicates the medical device manufacturer, as defined in EU Directives 90/385/EEC, 93/42/EEC, 98/79/EC, and EU Regulation 2017/745.	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.1.1
	Country of manufacture	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied. “CC” is replaced by the two letter country code.	5.1.11
	Date of manufacture	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied.	5.1.3
	Indicates the item is a medical device.	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.7.7
	Manufacturer’s serial number so that a specific medical device can be identified.	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.1.7
	Refer to instruction manual/booklet	EC 60601-1. Medical electrical equipment — Part 1: General requirements. for basic safety and essential performance	Reference no. Table D.2, Safety sign 10 (ISO 7010-M002)
	Caution NOTE: When this symbol is marked directly on the medical device, the definition to the right is correct.	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labelling and information to be supplied -- Part 1: General requirements	5.4.4
	General warning sign	ISO 7010 Graphical symbols– Safety colours and safety signs –Registered safety signs	W001

<i>Symbol</i>	<i>Title</i>	<i>Standard</i>	<i>Reference number</i>
	Recycle: Electronic Equipment	Marking of electrical and electronic equipment in accordance with article 11(2) of Directive 2002/96/EC (WEEE) WEEE Directive 2012/19/EU	Fig. 1
	Alternating current.	IEC 60417— Graphical Symbols for Use on Equipment Use on Equipment	IEC 60417-5032
	Non-ionising radiation.	IEC 60417-5140 — Graphical Symbols for Use on Equipment (FCC and IC registration numbers for RFID wireless technology)	IEC 60417-5140
	Type B equipment.	IEC 60417— Graphical Symbols for Use on Equipment	IEC 60417-5840
	Type BF equipment. To identify a type BF applied part complying with IEC 60601-1.	IEC 60417— Graphical Symbols for Use on Equipment	IEC 60417-5333
	Warning: Electricity	ISO 7010 Graphical symbols – Safety colours and safety signs – Registered safety signs	W012
	Protective earth	IEC 60417: Graphical symbols for use on equipment	IEC 60417-5019
	Do not use if package is damaged	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labeling and information to be supplied -- Part 1: General requirements	5.2.8
	Date after which the medical device is not to be used.	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labeling and information to be supplied -- Part 1: General requirements	5.1.4
	Lot number	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labeling and information to be supplied -- Part 1: General requirements	5.1.5

<i>Symbol</i>	<i>Title</i>	<i>Standard</i>	<i>Reference number</i>
	Catalogue number	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labelling and information to be supplied -- Part 1: General requirements	5.1.6
	Packaging unit. To indicate the number of pieces in the package.	ISO 7000/IEC 60417	2794
	Indicates a carrier that contains Unique Device Identifier information.	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.7.10
	ON Button.	IEC 60417-5009 – Standby symbol, indicates a sleep mode or low power state. The switch does not fully disconnect the device from its power supply.	IEC 60417-5009
	Speaker volume		
	Temperature limit	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labelling and information to be supplied -- Part 1: General requirements	5.3.7
	Humidity limitation	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.3.8
	Pinch Point/Entanglement Hazard Symbol	ANSI Z535.4 / ISO 3864-2 Graphical symbols – Safety colours and safety signs Part 2: Design principles for product safety labels	ISO 3864-2
	Warning; Crushing of Hands Pinch Point	ISO 7010 Graphical symbols– Safety colours and safety signs –Registered safety signs To warn of a closing motion of mechanical parts of equipment.	W024
	Handle with care. Indicates a medical device that can be broken or damaged if not handled carefully.	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.3.1

<b>Symbol</b>	<b>Title</b>	<b>Standard</b>	<b>Reference number</b>
	Do not reuse	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labelling and information to be supplied -- Part 1: General requirements	5.4.2
	Do not re-sterilise	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labelling and information to be supplied -- Part 1: General requirements	5.2.6
	Contains or presence of phthalates (DEHP). Indicates the presence of di (2-ethylhexyl phthalate (DEHP), and/or benzyl butyl phthalate (BBP), and/or dibutyl phthalate (DBP).	ISO 7000/IEC 60417 Graphical symbols for use on equipment BS EN 15986 Symbol for use in the labelling of medical devices –Requirements for labelling of medical devices containing phthalates	2725
	Sterilised using ethylene oxide.	ISO 15223-1:2012 Medical devices -- Symbols to be used with medical device labels, labelling and information to be supplied -- Part 1: General requirements	5.2.3
	Single sterile barrier system	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.2.11
	Single sterile barrier system with protective packaging outside	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.2.14
	Non-pyrogenic	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.6.3
	Keep dry. Indicates a medical device that needs to be protected from moisture.	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.3.4
	Keep away from sunlight. Indicates a medical device that needs protection from light sources.	ISO 15223-1 Medical devices – Symbols to be used with medical device labels, labelling, and information to be supplied	5.3.2
	DO NOT USE blades to open box		